



The Composer

REDISCOVER YOUR MUSIC

Premium Reference Headphones

Technical Specifications

Construction	Over ear, open back	Detachable cables with Banana Jack (included)	3m with 3.5mm Jack Plug (TRS)/3m with XLR 4pin/1.4m with 4.4mm Pentaconn style
Frequency range	5Hz - 44kHz		
Sensitivity	112dBspl/V		
THD (@1kHz)	<0.1%	Adapter (included)	3.5mm to 6.3mm
Driver size	49mm	Dimensions	215 x 200 x 90 mm
Impedance	22Ω	Weight (without cable)	385g
Input Power	160mW		



Full Score one

HEAR EVERYTHING, SACRIFICE NOTHING.

Premium Headphone Amplifier

Technical Specifications

Inputs	2 x XLR, 2 x RCA, parallel	Self-noise	EIN = 136dB(A) / 1,5μVrms(A)
Recommended input voltage	0dBV, 1Vrms	SINAD@1kHz, 22kHz bandwidth, 10Ω	86dB @ 50mVrms / 107dB@3Vrms
Input impedance	100kΩ	Power bandwidth (-3dB)	5Hz - 2MHz
Outputs	2 x 6.35mm jack, 1 x XLR 4	Max. slew rate	200V/μs
Recommended load	10Ω – 600Ω, max. 150nF	Rise time	0.25μs, TTT on
THD + N@1kHz, 22kHz bandwidth	0.0005%, @ 10Ω, 1.0W	Line voltage rating	220-250V~/110-125V~,50/60Hz
Max. output voltage, 5Hz - 20kHz	19dBV, 9Vrms @ 0,01% THD	Dimensions	220 x 265 x 65 mm
		Weight	2.8kg